

財源机械五金贸易
CHYE GUAN TRADING

No. 82 & 84, Jalan Suria 2, Taman Malim Jaya, 75250 Melaka.
Tel: 06- 3363480, 06-3363482 Fax: 06-3363480
Email: chyeguan82@gmail.com

Flexible Concrete Vibrator



JHI Series (Standard)

Model	Diameter	Flexible Shaft Diameter	Flexible Hose Diameter	V.P.M.	Resolution
JHI38 (7407)	38mm	12mm	32mm	10000 To 12000	3000
JHI45 (7412)	45mm	12mm	32mm		
JHI50 (7417)	50mm	12mm	32mm		
JHI60 (7422)	60mm	13mm	32mm		

* Standard Length with 5 / 8 meter



Submersible Pump Series



JHIP2S



JHIP3S

JHI Series & HP Series

Model	Diameter	Max. Capacity	Max. Head	Standard Length (Meter)	Resolution (r.p.m.)
JHIP2S (7607)	50mm	500/min	13	5 or 8	3000
JHIP3S (7612)	76mm	1100/min	17	5 or 8	
HP80 (7630)	76mm	1200/min	17	5 or 8	

Hisaki Driven Unit (Optional)



DU5/LF168F
Lifan



DU5/EY20DU
Subaru Robin



DU5/JDE170F
JDE



DU5/GX160QD1
Honda

PLATE COMPACTOR



YP80



YP120



SRP60



SYP90



YP80 c/w Diesel Engine

Model	YP80 (6740)	YP120 (6730)	SRP60 (6700)	SYP90 (6720)
Plate Size (mm)	521 x 432	555 x 535	330 x 431	595 x 420
Vibrating Frequency (vpm)	6100	6100	5600	6100
Centrifugal force (kgf)	1550	2100	1050	1600
Power (hp)	5	5	5	5
Weight (kg)	86	110	73	90

CONCRETE CUTTER / FLOOR SAW



YRC16



YRC20



MC500

Model	YRC16 (6300)	YRC20 (6350)	MC351	MC500	MC660
Max. Capacity Depth	145mm	190mm	120mm	170mm	280mm
Blade Size (mm)	305 - 406 (14" - 16")	406 - 508 (14" - 20")	305 - 350 (12" - 14")	406 - 508 (16" - 20")	508 - 660 (16" - 26")
Arbor Size (mm)	27	27	25.4	27	27
Blade Rotation (rpm)	2500 - 3600	2500 - 3600	2500 - 3600	2500 - 3600	2200 - 3600
Power (hp)	8 - 13	10 - 13	9	10 - 13	20 - 22
Engine	Gasoline or Diesel Engine				B&S or Robin
Weight (kg)	125	139	97.3	146	188



MC660

* Less Vibration

* High balancing lead to blade durable

財源机械五金贸易
CHYE GUAN TRADING

No. 82 & 84, Jalan Suria 2, Taman Malim Jaya, 75250 Melaka.

Tel: 06- 3363480, 06-3363482 Fax: 06-3363480

Email: chyeguan82@gmail.com



POWER TROWEL



Model	YPT910 (7400)	YPT40
Dimension (mm)	Height 810 X Width 1010	Height 916 X Width 1530
Trowel Dia. (mm)	910	1080
Blade Size (mm)	(W) 205 X (L) 343 4 Pcs Blade	(W) 195 X (L) 325 4 Pcs Blade
Trowel Speed (rpm)	50 - 100	50 - 70
Engine	Gasoline 5hp/3600rpm	Gasoline 5hp/3600rpm
Weight (kg)	78	78

* High quality gear box.

TAMPING RAMMER

Model	YTR81
Weight (kg)	81
Shoe Size (mm) L x W	330 x 300
Vibrating Frequency (vpm)	645 - 695
Vibrating Stroke (mm)	50 - 80
Impact Force (kgf)	1100 - 1300
Engine	EH12 ; 4 Stroke
Max. Output (hp/rpm)	4.0/4000



FLOOR PLANNER



TCT Tungsten Carbide Cutter



Model	YCS200
Working Width (mm)	200
Max. Cutting Depth (mm)	3.0
Weight (kg)	62.0
Dimension (mm) L x W x H	905 x 400 x 1105
Cutting Speed (rpm)	2600
Power By	5hp / 4 Stroke
TCT Cutter Quantity	76 pcs
Washer Quantity	84 pcs

Remove scale, rust or paint in preparation before re-coating

財源机械五金贸易
CHYE GUAN TRADING

No. 82 & 84, Jalan Suria 2, Taman Malim Jaya, 75250 Melaka.
Tel: 06- 3363480, 06-3363482 Fax: 06-3363480
Email: chyeguan82@gmail.com

FLOOR SCRAPPER



TCT401610 Cutter

* Complete with TCT Cutter or optional Diamond Cup Wheel



DC4
4\"/>

2DC4
4\"/>

Model	FS320 (7030)
Revolution	1500 rpm
Rated Frequency	50Hz
AMP	18.3
Rated Voltage	240V
Electric Motor	3hp



CONCRETE MIXER



Diesel Engine
5 hp



7T Mixer (Manual)

Model	YM7T (6670)
Mixing Drum	Cast Iron With Mild Steel Pot & 3 pcs Blades
Capacity Unmixed	10 cu. ft or 300 litres
Max. Mixed	7 cu. ft or 210 litres
Engine	Diesel Engine EA1A / HD5
Weight	790

Mini Mixer

Model	YMM350 (6600)
Capacity Unmixed	3 - 1/2 cu. ft or 125 litres
Max. Mixed	2 - 1/2 cu. ft or 95 litres
Engine	5hp / 4 Stroke Gasoline
Electric Motor	2 hp / 220V/50HZ

PORTABLE LIFTING HOIST

Model	YPH300 (6900_
Capacity	300 lbs / 135kg
Wire Rope	6mm x 20M
Engine	5hp / 4 Stroke Gasoline



財源机械五金贸易
CHYE GUAN TRADING

No. 82 & 84, Jalan Suria 2, Taman Malim Jaya, 75250 Melaka.

Tel: 06- 3363480, 06-3363482 Fax: 06-3363480

Email: chyeguan82@gmail.com

BAR CUTTER

Model	YBC42 (6210)	YBC32 (6200)	VBC42 (6225) (Vertical)
Max. Bar Diameter	42mm	32mm	42mm
Continuous Bar Diameter (Piece by Piece)	38mm	28mm	42mm
Diesel Engine (hp)	10/12	6/7	7.5 (Motor)
Dimension (mm) L x W x H	1828 x 736 x 838	1480 x 875 x 775	691 x 516 x 1118
Weight (kg)	850	750	415
Steel Bar Tensile Strength	450 N/mm ²		



BAR BENDER

Model	YBB42 (6110)	YBB32 (6102)
Max. Bar Diameter	42mm	32mm
Continuous Bar Diameter (Piece by Piece)	38mm	28mm
Diesel Engine (hp)	12	6/7
Dimension (mm) L x W x H	1549 x 1143 x 939	1320 x 1030 x 875
Weight (kg)	970	860
Steel Bar Tensile Strength	450 N/mm ²	



RING BENDER

Model	RB19
Max. Bar Diameter	20mm
Continuous Bar Diameter (Piece by Piece)	16mm
Diesel Engine (hp)	6/7
Dimension (mm) L x W x H	1168 x 762 x 838
Weight (kg)	337
Steel Bar Tensile Strength	450 N/mm ²



Note: All the above cutter & bender are only a steel bar can be cut or bend for each operation.